



SMART™
static standing
frame



Static standing frame **SMART™** combines the advantages of low weight, ease of use, robust design and stability. Due to its simplicity, the therapy and work become much more comfortable for the caregiver and family. Available in 8 sizes for both children and adults.

SMART™ gives the patient a sense of safety and great freedom of movement within the upper limbs. The device has a very positive impact on his development as well as makes it easier to overcome the results from injury or mobility limitations.

The standing frame uses an innovative system **UPRIGHT PRO©** – consisting of chest and pelvic braces with a very wide range of adjustment that enables to adopt the proper position.

The device is equipped with four braked swivel castors with brake that allow to move the patient indoors flat or outdoors.

Smart is available in 8 sizes.

IT IS RECOMMENDED IN THE FOLLOWING CASES:

- Cerebral palsy – various types and forms.
- Brain and spinal cord injuries with lower limbs paralysis and weakness, balance and motor coordination disorders with different etiology.
- Demyelinating disease (e.g. multiple sclerosis – SM).
- Meningocele.
- Muscles diseases with weakness and paralysis (dystrophy, myasthenia gravis, myositis).
- Genetic disorders.
- Degeneration and neurological diseases.
- Other condition connected with muscles weakness, paralysis and musculoskeletal disorders.
- After head and spinal cord injuries and spine trauma with paralysis and paresis.



COLORS



Orange
Size 0a,1



Blue
Size 1a, 2



Red
Size 2a, 3



Blue Horizon
Size 3a, 4

STANDARD EQUIPMENT:

Frame with castors and brakes | Footplate with foot stabilization | Adjustable knee support | Pelvic brace with pelvic belt | Chest brace with chest belt

Our passion – your independence!

Colors may differ from the presented images. The manufacturer reserves the right to make changes in products without updating the directory. Current offer on our website.

Akces-MED sp. z o.o.
Jasionka 955B
36-002 JASIONKA

export@akces-med.com
+48 (17) 864 04 77
www.akces-med.com

Version: 26/06/2018



ADVANTAGES:



Stable structure

The product ensures adequate stability and safety of a Patient.



Easy to use

Intuitive way of adjustment and easy assembly.



24 months warranty

We offer 24 months warranty on the product. We also provide after sales service.



UPRIGHT PRO® system – consisting of chest and pelvic braces with a very wide range of adjustment that enables to adopt the proper position in the device.



3D knee supports - ergonomic and adjustable in 3 different directions provide more comfort during use.



Folding tray – new larger tray provides more space for work. Additionally, it can be folded.



Foot sandals – they have full range of adjustment. Ergonomically designed cross belts perfectly secure the feet and heels.

ACCESSORIES



Safety



Soft cover for tray

Soft cover protects the user from hitting the tray. Indicated for patients with impaired limbs coordination.



Comfort



Patient lift belt

Robust and ergonomic design as well as high durability facilitates daily care of the patient.



Tray with edge

Made of wood. It allows you to play and perform therapy exercises. Perfect for working or having meals. Tray edge prevent items from sliding off.



Tango wheel (75 / 100 / 125 mm)

Noiseless, easy to maintain, does not leave marks, does not corrode.





Stabilization



Independently adjustable knee supports

Adjustable and ergonomically shaped knee supports perfectly stabilize the lower limbs.



Symbol	Measurement	Unit	Size							
			0a	1	1a	2	2a	3	3a	4
A	Pelvic support width	[cm]	22	22	28	28	37	37	44	44
C	Pelvic support height	[cm]	18-44	18-65	24-68	28-86	28-92	30-107	30-110	33-129
A1	Chest support width	[cm]	20	20	26	26	35	35	42	42
C1	Chest support height	[cm]	41-56	58-76	55-80	70-96	72-107	86-121	86-126	106-145
	Chest support perimeter	[cm]	50-64	50-64	64-76	64-76	80-105	80-105	95-125	95-125
G	Knee supports width	[cm]	8-10,5	8-10,5	11-14	11-14	14-20	14-20	16,5-25	16,5-25
H	Knee supports height*	[cm]	11-35	11-55	12-57	13-72	14-78	14-88	14-96	14-98
K	Footer Length	[cm]	17	17	20	20	24	24	30	30
	Max user weight	[kg]	35	35	55	55	75	75	95	95
Product dimensions and weight			0a	1	1a	2	2a	3	3a	4
	Width	[cm]	50	50	60	60	70	70	78	78
	Length	[cm]	63	63	70	70	87	87	91	91
	Height	[cm]	55	70	70	75	75	92	92	110
	Weight	[kg]	10	10	12	13	19,8	20	24,4	26

Note: Measurement tolerance range is +/- 1 cm / ½ in.

* Knee supports height depends on tray height.